

# Wholesale Suppliers 30L Electromagnetism Suspension FM200 Gas Fire **Extinguishing Device For Library**

## **Basic Information**

. Place of Origin: China Brand Name: xinlin

· Certification: ISO9001,CE,QMS,CCCF,CNAS

Model Number: XQQC30/1.6-XL Minimum Order Quantity: 2set system • Price: negotiation

· Packaging Details: Plywood outer box with bubble bag or paper Delivery Time: 10-15 working days after payment or receipt

of L/C

L/C, T/T Payment Terms:

Supply Ability: 35000 sets per week



# **Product Specification**

· Capacity: 20kg,30kg

Company Type: Manufacturer Over 10-Years

Feature: Clean Gas And Environmental Friendly

Steel Cylinder Body Material:

 Fire Extinguishing Method: Fully Flood Extinguishing

. Storage Pressure: 1.6MPa 2.5MPa Max Working Pressure:

. Starting Mode: Automatic, Electrical Manual, Mechanical

Emergency

Class A, B, C,E Fires Fire Rating:

. High Light: 30L Hfc-227ea Fire Suppression Highlight: FM200 Gas Fire Extinguishing Device,

30L Gas Fire Extinguishing Device,

Library FM200 Gas Fire Extinguishing Device

# **Product Description**

## Wholesale suppliers 30L Electromagnetism Suspension FM200 Gas Fire Extinguishing Device For Library

#### **Product description**

The suspended heptafluoropropane fire extinguisher is an advanced firefighting device designed specifically for quickly and effectively extinguishing all types of fires. Here is a detailed introduction to the fire extinguisher:

Working principle: The suspended heptafluoropropane fire extinguisher mainly relies on FM200 (HFC-227ea) as the fire extinguishing agent. Heptafluoropropane is a clean, colorless, tasteless, and low-toxic gas that can rapidly suppress the fire source without electrical conductivity, and interrupt the chain reaction of combustion through chemical suppression. At the same time, its cooling effect also helps to reduce the temperature of the fire scene.

Constant temperature suspension type	XQQC30/1.6-XL
Executive standards	XF13-2006
Filling density	≤1000kg/M <sup>3</sup>
Fire extinguishing method	Fully flood extinguishing
Storage pressure	1.6MPa(+20°C)
Working temperature range	0~50°C
Max working pressure	2.5MPa(+50°C)
System spray time	Computer room≤8S,Others≤10S
Fire extinguishing design concentration	8-10%
Starting Method	Automatic, pneumatic, manual mechanical emergency start

#### **Design Features**

Hanging installation: This type of fire extinguisher uses a hanging design that can be easily installed above the protected area, allowing the fire extinguishing agent to be evenly distributed within the protected area, ensuring rapid coverage of the fire source.

#### Starting mode

Depending on the model, the suspended FM200 fire extinguisher can be activated using a fixed temperature, electric explosion, or solenoid valve. For example, a fixed temperature fire extinguisher relies on a fixed temperature glass ball on the valve that expands and ruptures upon heating during a fire to open the valve and release the fire extinguishing agent.



## Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products. Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines. With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



# (xi) Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



@ gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China