



8kg Lpg Novec 1230 Cylinder Library Electromagnetic Novec 1230 Hanging Automatic System Fire Extinguisher

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.
- Certification: ISO9001, CE, QMS, CCCF, CNAS
- Model Number: XQFW8/1.6-XL
- Minimum Order Quantity: 1
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 30000 sets per week



Product Specification

- Color: Red
- Power: DC24V/1.6A
- Application: Indoor
- Capacity: 4kg, 8kg, 10kg, 20kg, 30kg
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Object: Class A, B, C, E Fires
- High Light: 8K Ghanging Fire Extinguisher
- Starting Mode: Automatic, Manual, Mechanical Emergency Start
- Highlight: lpg novec 1230, novec 1230 cylinder, novec 1230 fk-5-1-12

Product Description

Product description

8kg Library electromagnetic Novec 1230 hanging automatic system fire extinguisher

The NOVEC 1230 fire extinguishing system works by releasing the extinguishing agent into a protected area when a fire is detected. The agent quickly evaporates and fills the space, lowering oxygen levels and cooling the fire to extinguish it. This action helps prevent re-ignition and minimizes damage to the protected area.

Install

This hanging fire extinguisher is designed for easy installation and can be mounted on a wall or ceiling. It can also be installed in existing buildings without major modifications.

Trust the NOVEC 1230 Fire Suppression System to meet your fire protection needs

The NOVEC 1230 fire suppression system is technologically advanced, safe, durable and easy to install, making it the ideal solution for any firefighting need. Contact Guangzhou Xinlin Firefighting Equipment Co., Ltd. to learn more about this product

Technical parameter

Model	XQFC6/1.6-XL-52
Agent	Novec1230
Executive standard	GT/CECS10171-2022
Working temperature range	0°C~+50°C
Storage pressure	1.6MPa(+20°C)
Max working pressure	2.5MPa(+50%)
Fire extinguishing design concentration	6.5~8%
Max filling rate	≤1200KG/M ³
System spray time	≤10S
System startupmethod	pneumatic manual, mechanical emergency start

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

FAQ

Brand name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Model: 4KG/6KG/8KG/10KG/20KG/30KG

Place of Origin: Guangzhou City, Guangdong Province, China

Q: What is the NOVEC 1230 fire suppression system?

Answer: NOVEC 1230 (Fk-5-1-12) fire extinguishing system is a clean agent fire extinguishing system, a colorless and odorless gas that is easy to vaporize and will not cause secondary pollution.

Q: What is the brand name of this product?

Answer: Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Q: What are the different models of NOVEC 1230 fire suppression systems?

Answer: The different models of suspended electromagnetic models include 4KG, 6KG, 8KG, 10KG, 20KG and 30KG

Q: Where is this product produced?

A: This product is manufactured in Guangzhou City, Guangdong Province, China.

Q: How does the NOVEC 1230 fire suppression system work?

Answer: NOVEC 1230 liquid is expelled as a gas and quickly penetrates the entire protected area, extinguishing the fire by removing heat energy from the fire.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China