



20kg Gas Fire Suppression Novec 1230 Hanging Type Fire Extinguisher For Real Estate

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.
- Certification: ISO9001, CE, CCCF, examination report
- Model Number: XQFC20/1.6-XL-52
- Minimum Order Quantity: 30 set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 60000 sets per week



Product Specification

- Color: Red
- Power: DC24V/1.6A
- Capacity: 4kg, 6kg, 8kg, 10kg, 30kg
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Object: Class A, B, C, E Fires
- High Light: Cabinet Gas Fire Extinguisher
- Starting Mode: Automatic, Manual, Mechanical Emergency Start
- Highlight: fire suppression novec 1230,
novec 1230 Hanging Type Fire Extinguisher,
gas novec 1230

Product Description

Product description

Factory Directly 20kg Novec 1230 Hanging Type Fire Extinguisher for Real Estate

The FK-5-1-12 hanging fire extinguisher is a fire extinguisher that uses perfluorohexanone (FK-5-1-12) as the fire extinguishing agent. Perfluorohexanone is a new type of clean gas fire extinguishing agent, which is colorless, odorless, clear and easy to vaporize. This kind of fire extinguisher adopts hanging installation and is suitable for small protection areas such as power distribution rooms, transformer rooms, instrument and equipment rooms, small oil depots, computer rooms, software libraries, communication rooms, archives rooms, and file management rooms.

product advantages

Fast fire extinguishing: Perfluorohexanone has rapid cooling and suffocating fire extinguishing effects, and can quickly extinguish the fire source.

Low toxicity: Perfluorohexanone is safe for personnel and will not cause harm to the human body.

No damage to equipment: Perfluorohexanone leaves no residue after extinguishing a fire and will not damage equipment.

Small occupied area: suspended installation, does not occupy the ground area, suitable for places with limited space.

Easy installation: Factory prefabricated delivery, easy and quick installation.

Environmental protection: Perfluorohexanone fire extinguishing agent does not damage the ozone layer, its ozone depletion potential is zero, and its survival life in the atmosphere is very short, only 3-5 days, so it is environmentally friendly.

The fire extinguishing principles of FK-5-1-12 hanging fire extinguisher mainly include cooling fire extinguishing, suffocation fire extinguishing and chemical suppression fire extinguishing. After the perfluorohexanone liquid is atomized and sprayed at high speed, it vaporizes when exposed to heat and has strong heat absorption ability, causing the flame to lose heat quickly and destroying the tetrahedral balance of the fire. At the same time, perfluorohexanone has a large specific gravity. During the process of suspension and falling, it can isolate oxygen in the air around the flame, achieving the effect of suffocating fire extinguishing. In addition, perfluorohexanone can also capture free radicals in the combustion chain reaction, terminate the chain reaction of flame propagation, and achieve chemical suppression of fire extinguishing.

Technical parameter

Model	XQFC20/1.6-XL-52
Agent	Novec1230
Executive standard	GT/CECS10171-2022
Working temperature range	0°C~+50°C
Storage pressure	1.6MPa(+20°C)
Max working pressure	2.5MPa(+50%)
Fire extinguishing design concentration	6.5~8%
Max filling rate	≤1200KG/M ³
System spray time	≤10S
System startupmethod	pneumatic manual, mechanical emergency start

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

FAQ

Brand name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Model: 4KG/6KG/8KG/10KG/20KG/30KG

Place of Origin: Guangzhou City, Guangdong Province, China

Q: What is the NOVEC 1230 fire suppression system?

Answer: NOVEC 1230 (Fk-5-1-12) fire extinguishing system is a clean agent fire extinguishing system, a colorless and odorless gas that is easy to vaporize and will not cause secondary pollution.

Q: What is the brand name of this product?

Answer: Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Q: What are the different models of NOVEC 1230 fire suppression systems?

Answer: The different models of suspended electromagnetic models include 4KG, 6KG, 8KG, 10KG, 20KG and 30KG

Q: Where is this product produced?

A: This product is manufactured in Guangzhou City, Guangdong Province, China.

Q: How does the NOVEC 1230 fire suppression system work?

Answer: NOVEC 1230 liquid is expelled as a gas and quickly penetrates the entire protected area, extinguishing the fire by removing heat energy from the fire.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China