

ISO9001,CE,QMS,CCCF,CNAS

Plywood outer box with bubble bag or paper

10-15 working days after payment or receipt

L/C, D/A, D/P, T/T, Western Union,

# 90L Novec 1230 Cylinder Capacity Automatic Fire Extinguisher For Monitoring Room

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
  - r dymont ronno.
- Supply Ability:



## **Product Specification**

Capacity:	40L, 70L, 100L, 120, 150L, 180L
• Feature:	Clean Gas And Environmental Friendly
<ul> <li>Body Material:</li> </ul>	Steel Cylinder
• Type:	Automatic Fire Extinguisher
Object:	Class A, B, C, E Fires
<ul> <li>High Light:</li> </ul>	90L Novec 1230 Fire Extinguisher
<ul> <li>Fire Extinguishing Methods</li> </ul>	: Total Flooding Fire Extinguishing
<ul> <li>Highlight:</li> </ul>	novec 1230 cylinder capacity 90L,

China

xinlin

1

YF90/2.5-XL

negotiation

MoneyGram

30000 sets per week

of L/C

novec 1230 cylinder capacity 90L, novec 1230 cylinder capacity, Automatic Fire Extinguisher xinlin

### Product introduction

#### Fatory Supply 90L Novec 1230 Automatic Fire Extinguisher for Monitoring Room

NOVEC 1230 is a fluorinated hydrocarbon compound with high stability, safety and environmental protection. Under normal temperature and pressure, NOVEC 1230 is a colorless and transparent liquid. The boiling point of NOVEC 1230 is 57.5°C, which has a higher vapor pressure and lower freezing point than traditional halon fire extinguishing agents. In the event of a fire, NOVEC 1230 can quickly vaporize and absorb a large amount of heat, thereby reducing the flame temperature. At the same time, NOVEC 1230 can decompose a large amount of inert gases and inhibit the oxygen required for flame combustion, thereby achieving the purpose of quickly extinguishing fires.

### **Technical parameter**

Model	YF90/2.5-XL
Executive standards	T/CECS 10171-2022
Filling density	≤1420kg/M <sup>3</sup>
Working temperature range	-10°C~50°C
Storage Pressure	2.5MPa(+20°C)
Maximum working pressure	3.2MPa(+50°C)
Fire extinguishing design concentration	4.5%-6%
System spray time	≤10S
System startupmethod	Automatic, manual, mechanical emergency start

### product advantages

1.Environmentally friendly: NOVEC 1230 automatic fire extinguishing device will not cause damage to the atmospheric ozone layer or produce greenhouse gases after use. Compared with traditional halon fire extinguishing agents, NOVEC 1230 is more environmentally friendly.

2. Efficient and fast: NOVEC 1230 automatic fire extinguishing device can quickly extinguish fires in the early stages of fires and effectively reduce losses caused by fires. Its efficient fire extinguishing performance mainly benefits from the physical and chemical properties of NOVEC 1230, such as high vapor pressure, low freezing point, etc.

3. Safe and reliable: NOVEC 1230 automatic fire extinguishing device fully considers safety factors during the design and manufacturing process. NOVEC 1230 is a colorless and transparent liquid. NOVEC 1230 has low toxicity and is highly safe for personnel when used.

4. Wide scope of application: NOVEC 1230 automatic fire extinguishing device is suitable for various types of fires, including electrical fires, liquid fuel fires, etc. Due to its environmental protection and safety, NOVEC 1230 automatic fire extinguishing device is widely used in many fields, such as data centers, communication facilities, power facilities, etc.

#### **Company profile**

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinetstyle FM200 fire suppression systems, fully automatic fire extinguisher (hanging),portable fire extinguisher,IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



### Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- · Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

#### **Frequently Asked Questions**

Q1Are you a manufacturer or a trading company? A1: We are the manufacturer.

Q2: Do you have OEM orders? A2: Yes, according to the customer's requirements.

Q3: Where is your factory located? How do I get there?

A3: Our factory is located in Dongzhou Industrial Park, Xintang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

You are very welcome to visit our factory.

Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.
 I89-3396-3312 Shirley@gas-firesuppression.com
 gas-firesuppression.com
 Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China