

Hanging Fire Extinguisher Data Center Fire Suppression Fm 200

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10set system

China

xinlin

XL-34

of L/C

negotiation

MoneyGram

50000 sets per week

ISO9001,CE,QMS,CCCF,CNAS

L/C, D/A, D/P, T/T, Western Union,

- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

| Capacity: | 20kg,30kg |
|---|---|
| Company Type: | Manufacturer Over 10-Years |
| • Feature: | Clean Gas And Environmental Friendly |
| Body Material: | Steel Cylinder |
| Storage Pressure: | 1.6MPa |
| Max Working Pressure: | 2.5MPa |
| • Fire Extinguishing Method: | Fully Flood Extinguishing |
| Color: | Red |
| Starting Mode: | Automatic, Electrical Manual, Mechanical Emergency |
| Fire Rating: | Class A, B, C,E Fires |
| High Light: | FM200 Hanging Fire Extinguisher |
| Highlight: | data center fire suppression fm 200, data center fm200, fire fm200 |



Our Product Introduction

Product description

Quality FM200 Price Hanging Fire Extinguisher for Date Center Fire Suppression

Electromagnetic FM200(hfc-227ea) is a prefabricated fire extinguishing system which stores the designed fire extinguishing agent in the gas cylinder and is equipped with a nozzle, an electromagnetic drive device, a signal feedback device, and a suspended fire extinguishing system with manual, automatic and mechanical emergency starting modes.

Electromagnetic FM200 fire extinguisher, need to connect the alarm system linkage alarm, triggered by the electromagnetic spray.

Technical parameter

| Constant temperature suspension type | XL-34 |
|---|--|
| Executive standards | XF13-2006 |
| Filling density | ≤1000kg/M ³ |
| Fire extinguishing method | Fully flood extinguishing |
| Storage pressure | 1.6MPa(+20°C) |
| Working temperature range | 0~50°C |
| Max working pressure | 2.5MPa(+50°C) |
| System spray time | Computer room≤8S,Others≤10S |
| Fire extinguishing design concentration | 8-10% |
| Starting Method | Automatic, pneumatic, manual mechanical emergency start |

Product structure

FM200 (hfc-227ea) hanging electromagnetic fire extinguisher, assembly structure includes nozzle, container valve, electromagnetic drive device, safety release device, signal feedback device, lifting ring base, storage container, pressure gauge, etc.

Product matching

FM200 (hfc-227ea) hanging electromagnetic fire extinguisher can be installed with gas alarm control host, emergency start and stop button, gas discharge indicator, sound and light alarm, temperature detector, etc.



Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinetstyle FM200 fire suppression systems, fully automatic fire extinguisher (hanging),portable fire extinguisher,IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- -----
- Efficient management system
- · More than 10 years of experience in gas fire fighting industry
- · Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

Frequently Asked Questions

- Q1: Are you a manufacturer or a trading company?
- A1: We are a professional manufacturer specializing in gas fire suppression systems.
- Q2: Do you offer OEM products?
- A2: Yes, we welcome your own designs and drawings.
- Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



189-3396-3312

Shirley@gas-firesuppression.com

@ gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China