



Inergen Ig541 Fire Suppression System Mixed Gas Fire Extinguisher 80L / 20MPa

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: ISO9001, CE, QMS, CCCF, CNAS
- Model Number: HMP80/20-XL-01
- Minimum Order Quantity: 5set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000 sets per week



Product Specification

- Model NO.: HMP80/20-XL-01
- Effective Range: 4.5m
- Power Source: Gas Fire Extinguisher
- Starting Mode: Automatic, Electrical Manual, Mechanical Emergency
- Capacity: 70L, 80L, 90L
- Company Type: Manufacturer Over 10-Years
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Pressure: 20MPa
- Type: Automatic Fire Extinguisher
- Object: Class A, B, C, E Fires
- High Light: IG541 Gas Fire Extinguisher
- Highlight: **ig541 fire suppression system, inergen ig541, inergen 541**



Product Description

Product description

IG541 Mixed Gas Fire Extinguisher 80L / 20MPa for Industrial for Fire Fighting Equipment

IG541 gas fire extinguishing system Main models: HMP70/15-XL, HMP80/15-XL, HMP90/15-XL, HMP70/20-XL, HMP80/20-XL, HMP90/20-XL bottle group type: 70L, 80L, 90L Pressure type: 15Mpa, 20Mpa IG541 gas fire extinguishing system introduces the structure of IG541 fire extinguishing system Because of the high storage pressure, IG541 fire extinguishing system generally adopts a pipe network fire extinguishing system, and the fire extinguishing agent bottle group is set in an independent storage bottle room.

Technical parameter

Model	QMH20/80-XL-01
Agent	N ₂ , Ar, CO ₂ (proportion 52%, 40%, 8%)
Executive standards	GB25972-2010
Working pressure (20°C)	20MPa
Working pressure temperature	0~50°C
Filling density (20°C)	211.15kg/M ³
Maximum working pressure(50°C)	17.2MPa
Fire extinguishing methods	Total flooding fire extinguishing
Starting Method	Automatic, pneumatic, and mechanical emergency operations
Spraying time	≤60S
Drive bottle group pressure	6Mpa
Application place	valuable equipment room

Performance characteristics:

- ① Fire quickly, accurate and reliable action;
 - ② Leave no residual stains after extinguishing;
 - ③ non-conductive fire extinguishing agent;
- Do not produce chemical decomposition products; Does not endanger the living environment of human beings;
- ⑤ Easy operation and maintenance, beautiful appearance;
 - ⑥ No choking on the human body, non-toxic side effects, suitable for places where people often work.

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

Frequently Asked Questions

Q1 Are you a manufacturer or a trading company?

A1: We are the manufacturer.

Q2: Do you have OEM orders?

A2: Yes, according to the customer's requirements.

Q3: Where is your factory located? How do I get there?

A3: Our factory is located in Dongzhou Industrial Park, Xintang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

You are very welcome to visit our factory.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou,
Guangdong, China