



Hfc-227ea Clean Agent Fire Suppression System Gas Pipe Line

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: ISO9001,CE,QMS,CCCF,CNAS
- Model Number: 100L,120L,150L
- Minimum Order Quantity: 2set system
- Price: negotiation
- Packaging Details: Wooden case packing
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000 sets per week



Product Specification

- Product: Hfc-227ea System
- Starting Mode: Automatic, Electrical Manual, Mechanical Emergency
- Power: DC24V/1.6A
- Company Type: Manufacturer Over 10-Years
- Feature: FM200 Clean Gas
- Body Material: Steel Cylinder
- Origin: Guangzhou, Guangdong, China
- Package Size: 550.00cm * 530.00cm * 1900.00cm
- Storage Pressure: 4.2MPa
- Max Working Pressure: 5.3MPa
- Fire Rating: Class A, B, C,E Fires | Customized Request
- High Light: Hfc-227ea System
- Highlight: **hfc-227ea clean agent fire suppression system, hfc-227ea clean agent, hfc fire suppression system**



Product Description

Product description

High Efficiency Auto Hfc 227ea Gas Pipe Line Hfc-227ea System Fire Extinguisher for Archives

The gas extinguishing agent storage bottle of the SEvofluoropropane fire extinguishing system with pipe network is usually placed in the special cylinder room and connected through the pipe network. In case of fire, the fire extinguishing agent is transported from the cylinder room to the protection area where the fire needs to be put out, and the fire extinguishing agent is sprayed through the sprinkler head.

System composition

Sevofluoropropane gas fire extinguishing system consists of: fire extinguishing bottle group, high pressure hose, fire extinguishing agent check valve, starting bottle group, safety pressure relief valve, selection valve, pressure signal, nozzle, high pressure pipeline, high pressure pipe fittings, etc.

Technical parameter

Product	heptafluoropropane
Agent	N2
Executive standards	GB25972-2010
Storage pressure	4.2Mpa(+20°C)
Working temperature range	0~50°C
Filling density	$\leq 950\text{kg/M}^3$
Maximum working pressure	5.3Mpa(+20°C)
System spray time	Computer room $\leq 8\text{S}$, Others $\leq 10\text{S}$
Fire extinguishing methods	Total flooding
Fire extinguishing design concentration	8-10%
Starting Method	Automatic, pneumatic, manual mechanical emergency start
Fire extinguishing method	Fully submerged fire extinguishing



Application site

FM200 gas fire extinguishing system is suitable for: computer room, library, archives, valuables storage, power station (transformer room), telecommunications center, clean workshop and other key parts of the fire protection.

No pipe network (cabinet) FM200 fire extinguishing system

The gas extinguishing agent storage bottle is packaged into a fire extinguishing cabinet, which is beautiful in appearance. It is usually placed in the protection area that needs protection. In the event of fire, it does not need to go through the pipeline and directly spray the fire in the protection area.

System introduction

No pipe network (cabinet) FM200 gas fire extinguishing system, is a portable and mobile automatic fire extinguishing modern fire equipment, its high fire extinguishing efficiency, fire extinguishing speed, low toxicity, no dirt to the equipment, excellent performance of the fire extinguishing device, its control part can be connected with the fire control center.

advantage

FM200 (HFC-227EA) automatic fire extinguishing system is a high-efficiency fire extinguishing equipment, its fire extinguishing agent HFC-227EA is a colorless, odorless, low toxicity, good insulation, no secondary pollution gas, the depletion potential value (ODP) of atmospheric ozone layer is zero, is the current replacement halon 1211, 1301 the most ideal substitute.

Storage condition

FM200 (HFC-227EA) is not reactive and is a stable material. Liquefied gas is stable as a projectile and must be stored in a metal tank in a cool and dry place.

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Common problems:

Q: What is the brand name of the storage pressure fire extinguishing system in FM200?

A: The brand of FM200 internal storage pressure fire extinguishing system is Guangzhou Xinlin Fire Equipment Co., LTD.

Q: What are the models of FM200 internal pressure storage fire extinguishing system?

A: There are 100L, 120L and 150L available models for FM200 internal pressure storage fire extinguishing system.

Q: Where is the storage pressure fire extinguishing system in FM200 manufactured?

A: FM200 internal pressure storage fire extinguishing system is manufactured in Guangzhou, Guangdong Province, China.

Q: What are the characteristics of FM200 internal pressure storage fire extinguishing system?

A: FM200 internal pressure storage fire extinguishing system is efficient, environmentally friendly, safe and reliable, and has a high degree of automation



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China