



Co2 Clean Agent Fire Suppression System Fm200 External Storage Pressure For Power Distribution Room

Our Product Introduction

for more products please visit us on gas-firesuppression.com

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: ISO9001,CE,QMS,CCCF,CNAS
- Model Number: XL-30
- Minimum Order Quantity: 1set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 30000 sets per week



Product Specification

- Starting Mode: Automatic, Electrical Manual, Mechanical Emergency
- Color: Red
- Power: DC24V/1.6A
- Company Type: Manufacturer Over 10-Years
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Package Size: 500.00cm * 450.00cm * 1700.00cm
- Storage Pressure: 4.2MPa
- Maximum Working Pressure: 5.3MPa
- Fire Extinguishing Methods: Total Flooding
- Fire Rating: Class A, B, C,E Fires
- Highlight: hfc 227ea fire suppression systems, clean agent system fm200, co2 fm200



More Images



Product Description

System introduction

External Storage Pressure FM200 Fire Suppression Extinguisher for Power Distribution Room

FM200 fire extinguishing system is composed of bottle assembly frame, fire extinguishing agent storage bottle, power bottle group, container valve, high pressure hose, liquid check valve, collecting pipe, safety valve, distributing pipe, selection valve, pressure signal, fire extinguishing agent conveying pipe, nozzle, starting bottle, driver, starting pipeline, starting gas check valve, etc., which is an intelligent automatic fire extinguishing system. According to the requirements of different application sites, it can be composed of unit independent system and combined distribution system, and adopt full flooding fire extinguishing mode to achieve fire protection for single and multi-protection areas, with advanced technology, high fire extinguishing efficiency and easy maintenance. The system has three starting modes: automatic, manual and mechanical emergency operation.

Technical parameter

Model	XL-30
Agent	N2
Executive standards	Q/GZXL001-2021
Storage pressure	4.2Mpa(+20°C)
Working temperature range	0~50°C
Filling density	≤1250kg/M ³
Maximum working pressure	5.3Mpa(+50°C)
System spray time	Computer room≤8S,Others≤10S
Fire extinguishing methods	Total flooding
Fire extinguishing design concentration	8-10%
Starting Method	Automatic, pneumatic, manual mechanical emergency start
Fire extinguishing method	Fully submerged fire extinguishing

Application scenario

- 1) Large area and large space gas fire protection area;
- 2) Works with a long distance between the cylinder and the protection area. The external storage pressure SEvofluoropropane fire extinguishing system is not simply to store the power gas in another container or increase the storage amount of the power gas, but more important is how to make full use of the energy of the power gas within the effective time to make the fire extinguishing agent get more power.



Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.

☎ 189-3396-3312

✉ shirley@gas-firesuppression.com

🌐 gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China