

Gas FM200 Hanging Fire Extinguisher Room Heptafluoropropane Fire Extinguisher

Basic Information

Place of Origin: China
Brand Name: xinlin
Certification: CCCF, ISO
Model Number: XL-37
Minimum Order Quantity: 2set system
Price: negotiation

Packaging Details: Plywood outer box with bubble bag or paper
 Delivery Time: 10-15 working days after payment or receipt

of L/C

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

Supply Ability: 50000 sets per week



Product Specification

Portable Extinguisher: FM200 Gas Fire Extinguisher
 Power Source: Gas Fire Extinguisher

Max Working Pressure: 2.5MPaStorage Pressure: 1.6MPa

Fire Extinguishing Method: Fully Flood Extinguishing
 Starting Mode: Constant Temperature
 Capacity: 4kg,6kg,8kg,10kg,20kg,30kg
 Company Type: Manufacturer Over 10-Years

Feature: Clean Gas And Environmental Friendly

Body Material: Steel Cylinder

• Package Size: 380.00cm * 380.00cm * 435.00cm

Object: Class A, B, C, E Fires

 High Light: Automatic Hanging Heptafluoropropane
 Highlight: Gas FM200 Hanging Fire Extinguisher, Hanging Fire Extinguisher Room xinlin,



More Images



Product Description

Product description

Automatic Hanging Heptafluoropropane Fire Extinguisher with FM200 Gas for Room

FM200 is a gas extinguishing agent, also known as FM200 (HFC-227ea). It is widely used in a variety of environments that require gas fire suppression, such as electronic equipment, server rooms, and storage locations for high-value items.

FM200 fire extinguisher is a fire extinguisher specially designed to be mounted on the ceiling, this gas fire extinguisher is especially suitable for those places where it is not possible to install fire extinguishers on the ground, such as elevated warehouses, high-rise buildings, etc.

The use of FM200 as a ceiling fire extinguisher can effectively protect equipment and items under the ceiling from fire damage. Because FM200 gas extinguishing agent can quickly spread to all corners under the ceiling, it can quickly extinguish the fire and effectively protect the safety of equipment and items.

The manufacturer is Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Technical parameter

| Toominga, parameter | |
|---|---|
| Constant temperature suspension type | XL-37 |
| Executive standards | XF13-2006 |
| Filling density | ≤1000kg/M ³ |
| Fire extinguishing method | Fully flood extinguishing |
| Storage pressure | 1.6MPa(+20°C) |
| Working temperature range | 0~50°C |
| Max working pressure | 2.5MPa(+50°C) |
| System spray time | Computer room≤8S,Others≤10S |
| Fire extinguishing design concentration | 8-10% |
| Starting Method | Automatic, pneumatic, manual mechanical emergency start |



Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

· Efficient management system

- More than 10 years of experience in gas fire fighting industry
- · Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



(xL) Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



@ gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China