




## Novec 1230 Extinguishing Agent System 8KG Fire Fighting System Fixed Hanging For Warehouse

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.
- Certification: ISO9001, CE, CCCF, examination report
- Model Number: XQFC8/1.6-XL
- Minimum Order Quantity: 20 set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000 sets per week



#### Product Specification

- Color: Red
- Capacity: 6kg, 8kg, 20kg, 30kg
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Medium: NOVEC 1230
- Object: Class A, B, C, E Fires
- High Light: 8KG Novec 1230 Hanging Fire Extinguisher
- Starting Mode: 68°C Temperature Sensing Fire Suppression
- Highlight: **novec 1230 extinguishing agent,  
novec 1230 extinguishing system,  
8KG novac 1230**

## Product Description

### Product description

#### Fire Fighting System Fixed Temperature Novec 1230 Hanging Fire Extinguisher for Warehouse

**Efficient Fire Protection:** The product's advanced formula extinguishes fires quickly and effectively, minimizing damage and preventing the spread of fire.

**Non-toxic and environmentally friendly:** Unlike traditional fire extinguishing agents, NOVEC 1230 cleaner does not contain harmful chemicals and is safe for humans and the environment.

**Safety:** This product has been extensively tested and approved by relevant authorities to ensure safe use.

**FAST AND EFFECTIVE:** NOVEC 1230 Cleaner is designed to work quickly, extinguishing fires in seconds and minimizing downtime. scenes to be used

A fire broke out in the server room due to an electrical fault. Smoke detectors immediately detect the fire and trigger the NOVEC 1230 cleaner system. Cleaning agents are released into the room, quickly extinguishing the fire and preventing it from spreading to other areas. The non-toxic and environmentally friendly nature of the cleaner keeps IT staff safe, and fast and effective containment helps minimize damage to expensive equipment. Thanks to the highly effective fire control provided by NOVEC 1230 cleaner, the room was back up and running in a short time.

### Technical parameter

Model	XQFC8/1.6-XL
Agent	Novec1230
Executive standard	GT/CECS10171-2022
Working temperature range	0°C~+50°C
Storage pressure	1.6MPa(+20°C)
Max working pressure	2.5MPa(+50%)
Fire extinguishing design concentration	6.5~8%
Max filling rate	≤1200KG/M <sup>3</sup>
System spray time	Computer room ≤8S, other ≤10S

### Packaging and shipping

**Cleaner packaging and shipping**

Our NOVEC 1230 (FK-5-1-12) Cleaner is carefully packaged to ensure safe and efficient delivery to customers. Below is an overview of our packaging and shipping processes

**Package**

Each NOVEC 1230 (FK-5-1-12) cleaner container is sealed and labeled with product name, quantity and safety instructions. The container is then placed in a sturdy corrugated cardboard box with extra padding to prevent damage during shipping.

For larger orders, containers are stacked and secured on pallets to facilitate loading and unloading.

**Shipping**

We offer a variety of shipping options to meet our customers' needs. Our standard shipping method is sea freight, which allows cost-effective and timely delivery to most destinations around the world.

For urgent orders, we also offer air freight options for faster delivery. We work closely with our shipping partners to ensure our products are handled with care and delivered on time.

For customers with specific shipping preferences, we are happy to accommodate their requests and work with their preferred shipping company. customs requirements

We understand the importance of complying with customs regulations and ensuring smooth delivery of our products to our customers.

We also provide customers with all necessary product information and safety data sheets to facilitate customs clearance.

Thank you for choosing our NOVEC 1230 (FK-5-1-12) cleaner. We strive to provide high-quality products and efficient shipping services to meet your needs.

### Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-

style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



#### Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

#### FAQ

Brand name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Model: 4KG/6KG/8KG/10KG/20KG/30KG

Place of Origin: Guangzhou City, Guangdong Province, China

Q: What is the NOVEC 1230 fire suppression system?

Answer: NOVEC 1230 (Fk-5-1-12) fire extinguishing system is a clean agent fire extinguishing system, a colorless and odorless gas that is easy to vaporize and will not cause secondary pollution.

Q: What is the brand name of this product?

Answer: Guangzhou Xinlin Firefighting Equipment Co., Ltd.

Q: What are the different models of NOVEC 1230 fire suppression systems?

Answer: The different models of hanging temperature sensing models include 4KG, 6KG, 8KG, 10KG, 20KG and 30KG

Q: Where is this product produced?

A: This product is manufactured in Guangzhou City, Guangdong Province, China.

Q: How does the NOVEC 1230 fire suppression system work?

Answer: NOVEC 1230 liquid is expelled as a gas and quickly penetrates the entire protected area, extinguishing the fire by removing heat energy from the fire.



**Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.**



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China