

ISO9001,CE,QMS,CCCF,CNAS

Plywood outer box with bubble bag or paper

10-15 working days after payment or receipt

L/C, D/A, D/P, T/T, Western Union,

# 120L Fm200 Gas Flooding System Extinguisher Agent For Valuable Instrument Room

## Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10set system
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
  - aymont forme.
- Supply Ability:



### Product Specification

Starting Mode:	Automatic, Electrical Manual, Mechanical Emergency
• Power:	DC24V/1.6A
<ul> <li>Company Type:</li> </ul>	Manufacturer Over 10-Years
• Feature:	Clean Gas And Environmental Friendly
<ul> <li>Body Material:</li> </ul>	Steel Cylinder
<ul> <li>Package Size:</li> </ul>	500.00cm * 450.00cm * 1700.00cm
<ul> <li>Fire Extinguishing Methods: Total Flooding</li> </ul>	
<ul> <li>Fire Rating:</li> </ul>	Class A, B, C,E Fires
<ul> <li>Application Scenario:</li> </ul>	Computer Room
<ul> <li>High Light:</li> </ul>	120L FM200 Automatic System
Highlight:	fm200 gas flooding system, fm200 flooding system, fm200 gas

China

xinlin

XL-55

of L/C

negotiation

MoneyGram

75000 sets per week

#### Product description

#### Factory Price 120L FM200 Fire Extinguisher Agent for Valuable Instrument Room

FM200 (hfc-227ea) fire extinguishing system is widely used in China and around the world. Its biggest advantage is that the system meets the requirements of world environmental protection. Even if there is a 1% chance, it will not harm the ozone layer. It is clean, odorless, colorless and easy to install, making it the best substitute for Halon 1301 in people's minds.

The FM200 (hfc-227ea) fire extinguishing system works more efficiently when equipped with electrical components. Additionally, the system requires a little storage outside but close to the reserve. It helps save space. The system also features injection times of less than 10 seconds.

#### **Technical parameter**

Model	XL-55
Executive standards	GB25972-2010
Storage pressure	4.2Mpa(+20°C)
Working temperature range	0~50°C
Filling density	≤950kg/M <sup>3</sup>
Maximum working pressure	5.3Mpa(+20°C)
System spray time	Computer room≤8S,Others≤10S
Fire extinguishing methods	Total flooding
Fire extinguishing design concentration	8-10%
Starting Method	Automatic, pneumatic, manual mechanical emergency start
Fire extinguishing method	Fully submerged fire extinguishing



#### **Company profile**

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality

inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinetstyle FM200 fire suppression systems, fully automatic fire extinguisher (hanging),portable fire extinguisher,IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

#### Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- · Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

#### **Common problems**

\_\_\_\_\_

- Q: What is the brand name of the storage pressure fire extinguishing system in FM200?
- A: The brand of FM200 internal storage pressure fire extinguishing system is Guangzhou Xinlin Fire Equipment Co., LTD.
- Q: What are the models of FM200 internal pressure storage fire extinguishing system?
- A: There are 100L, 120L and 150L available models for FM200 internal pressure storage fire extinguishing system.
- Q: Where is the storage pressure fire extinguishing system in FM200 manufactured? A :FM200 internal pressure storage fire extinguishing system is manufactured in Guangzhou, Guangdong Province, China.

Q: What are the characteristics of FM200 internal pressure storage fire extinguishing system? A :FM200 internal pressure storage fire extinguishing system is efficient, environmentally friendly, safe and reliable, and has a high degree of automation

(X) Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.

189-3396-3312 Shirley@gas-firesuppression.com gas-firesuppression.com
Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China