



150L Hfc-227ea Fire Extinguisher Suppression Systems Finghting For Date Room

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.
- Certification: ISO9001,CE,QMS,CCCF,CNAS
- Model Number: XL-56
- Minimum Order Quantity: 100set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 800000 sets per week



Product Specification

- Starting Mode: Automatic, Electrical Manual, Mechanical Emergency
- Power: DC24V/1.6A
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Fire Extinguishing Methods: Total Flooding
- Fire Rating: Class A, B, C,E Fires
- High Light: 150L Hfc-227ea Fire Finghting Extinguisher
- Highlight: **hfc-227ea fire extinguisher, hfc 227ea fire suppression systems, fm200 system**



Product Description

Product description

Wholesale Suppliers 150L Hfc-227ea Fire Fighting Extinguisher for Data Room

A single-zone pipe network FM200 (hfc-227ea) fire extinguishing system consists of three parts: fire equipment part, pipe network part and electrical component part. The single-zone pipe network FM200 fire protection equipment is different from the multi-zone FM200 fire extinguishing system in that it lacks a selection valve.

The single-zone system consists of the following parts: FM200 agent, several FM200 gas bottles (depending on the volume of the protected area), a gas bottle rack, a nitrogen pressure drive device, a drive device frame (not necessary), several . Container valves (the number is equivalent to the number of cylinders), several liquid flow check valves (the number is equivalent to the number of cylinders), several gas control pipes and gas flow check valves, one manifold, one safety valve, one pressure signal transmitter, one For flanges and elbows.

Technical parameter

Model	XL-56
Executive standards	GB25972-2010
Storage pressure	4.2Mpa(+20°C)
Working temperature range	0~50°C
Filling density	≤950kg/M ³
Maximum working pressure	5.3Mpa(+20°C)
System spray time	Computer room≤8S,Others≤10S
Fire extinguishing methods	Total flooding
Fire extinguishing design concentration	8-10%
Starting Method	Automatic, pneumatic, manual mechanical emergency start
Fire extinguishing method	Fully submerged fire extinguishing

Application areas

- Telecommunications Center
- Underground facilities
- Offshore oil extraction
- library
- Data and paper files
- Storage of valuables
- Generator storage room



Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

Common problems

Q: What is the brand name of the storage pressure fire extinguishing system in FM200?

A: The brand of FM200 internal storage pressure fire extinguishing system is Guangzhou Xinlin Fire Equipment Co., LTD.

Q: What are the models of FM200 internal pressure storage fire extinguishing system?

A: There are 100L, 120L and 150L available models for FM200 internal pressure storage fire extinguishing system.

Q: Where is the storage pressure fire extinguishing system in FM200 manufactured?

A: FM200 internal pressure storage fire extinguishing system is manufactured in Guangzhou, Guangdong Province, China.

Q: What are the characteristics of FM200 internal pressure storage fire extinguishing system?

A: FM200 internal pressure storage fire extinguishing system is efficient, environmentally friendly, safe and reliable, and has a high degree of automation



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China