



Fire Alarm Fm 200 System Agent Hanging Sevofluoropropane Fire Extinguisher Fm200 Gas

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.
- Certification: ISO9001, CE, QMS, CCCF, CNAS
- Model Number: XQQW20-1.6-XL-76
- Minimum Order Quantity: 100set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 10000 sets per week



Product Specification

- Portable Extinguisher: FM200 Gas Fire Extinguisher
- Power Source: Gas Fire Extinguisher
- Max Working Pressure: 2.5MPa
- Storage Pressure: 1.6MPa
- Fire Extinguishing Method: Fully Flood Extinguishing
- Starting Mode: Constant Temperature
- Capacity: 10kg, 30kg
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Object: Class A, B, C, E Fires
- High Light: XQQW20-1.6-XL-76 Fire Extinguisher Fm200 Gas
- Highlight: **fire alarm fm 200 system, fire suppression fm 200, fm 200 agent**

Product Description

Product description

New fire suppression Automatic room fire extinguishing Hanging sevofluoropropane fire extinguisher fm200 gas

The suspended FM200 heptafluoropropane constant temperature fire extinguisher produced by Guangzhou Xinlin Firefighting Equipment Co., Ltd. has become the preferred automatic fire extinguishing solution in many industries due to its unique design and outstanding fire extinguishing performance. This device contains environmentally friendly heptafluoropropane fire extinguishing agent, which has excellent thermal stability and chemical inertness. When a fire occurs, it can be accurately activated through a sensitive constant-temperature sensing element to instantly release the fire extinguishing agent to achieve timely and effective extinguishing of the initial fire. .

Core technology highlights

Immediate response, zero delay: built-in fixed-temperature glass ball, once the ambient temperature exceeds the set threshold of 68 degrees, the release system is immediately activated without relying on external detection and alarm equipment.

Flexible and convenient installation method: Suspended or wall-mounted installation eliminates the need for a dedicated bottle storage room, greatly reducing project costs, simplifying the installation process, and adapting to various complex space layouts.

Efficient and environmentally friendly fire extinguishing effect: While suppressing flames, heptafluoropropane fire extinguishing agent does not cause damage to the atmospheric ozone layer and will not remain in the environment for a long time. It is relatively safe for the human body and is especially suitable for occasions that require quick recovery.

Application scenarios

Micro data center and network cabinet: Provide targeted local automatic fire extinguishing protection in areas where high-density wiring and small IT equipment that generate high heat are concentrated.

New energy vehicle battery warehouse: Provide customized safety protection measures for special fire hazards such as lithium-ion batteries to reduce fire losses.

Important historical documents warehouse: In an environment with strict temperature and humidity control, it provides both gentle and effective fire-extinguishing means for ancient documents.

Art Collection Exhibition Room: Ensure that precious artworks and cultural relics are kept away from fire hazards to minimize potential losses to cultural property caused by fire.

Choosing the suspended FM200 heptafluoropropane fixed-temperature fire extinguisher means choosing a comprehensive fire safety solution that is green, environmentally friendly, safe, reliable, efficient and convenient, so that your valuable assets can be protected to the greatest extent under any circumstances.

Technical parameter

Constant temperature suspension type	XQQW20-1.6-XL-76
Executive standards	XF13-2006
Filling density	$\leq 1000\text{kg/M}^3$
Fire extinguishing method	Fully flood extinguishing
Storage pressure	1.6MPa(+20°C)
Working temperature range	0~50°C
Max working pressure	2.5MPa(+50°C)
System spray time	Computer room $\leq 8\text{S}$, Others $\leq 10\text{S}$
Fire extinguishing design concentration	8-10%



Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products. Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines. With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.

☎ 189-3396-3312

✉ shirley@gas-firesuppression.com

🌐 gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China