



4L-30L Hanging Type Fm200 Automatic Fire Suppression System Fm200 Fire Gas Extinguisher

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Guangzhou Xinlin Firefighting Equipment Co., Ltd.
- Certification: ISO9001, CE, QMS, CCCF, CNAS
- Model Number: XQQW8-1.6-XL-111
- Minimum Order Quantity: 100set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 30000 sets per week



Product Specification

- Portable Extinguisher: FM200 Gas Fire Extinguisher
- Power Source: Gas Fire Extinguisher
- Max Working Pressure: 2.5MPa
- Storage Pressure: 1.6MPa
- Fire Extinguishing Method: Fully Flood Extinguishing
- Starting Mode: Constant Temperature
- Capacity: 4kg, 6kg, 8kg, 10kg, 20kg, 30kg
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Object: Class A, B, C, E Fires
- High Light: XQQW8-1.6-XL-111 Fm200 Fire Gas Extinguisher
- Highlight: **Fm200 Automatic Fire Suppression System, 4L-30L Hanging Automatic Fire Suppression System, 4L-30L Hanging Fire Suppression System**



Product Description

Product description

4L-30L Hanging Type Fm200 Automatic Fire Suppression System Fm200 Fire Gas Extinguisher

The hanging FM200 heptafluoropropane constant-temperature fire extinguisher is a fire-fighting equipment that combines high-efficiency gas fire extinguishing and easy installation. It is designed to provide accurate and timely fire response solutions for various small protection areas. This product uses the internationally recognized FM200 (hfc-227ea) as the fire extinguishing agent. This is a colorless, odorless, non-conductive and environmentally friendly gas. It has excellent fire extinguishing efficiency and no damage to the protected objects.

Core features

- **Constant temperature start**: With an external high-sensitivity temperature sensing element, once the fire temperature reaches the preset threshold of 68 degrees, the fire extinguishing program will be automatically started immediately without manual intervention, thus extinguishing the initial fire source as soon as possible.
- **Integrated design**: Fire extinguishing agent storage tanks, container valves, nozzles and advanced constant temperature triggering systems are all pre-integrated into a compact unit that can be easily hung or wall-mounted in the protected area, greatly saving space and simplifying installation process.
- **Green Safety**: FM200 fire extinguishing agent has a very short residual time in the atmosphere, has little impact on the environment, and has low toxicity to the human body. It is suitable for guarded places, especially for precious items, precision electronic equipment, archives and data rooms, etc. place.
- **Wide application**: This hanging FM200 fire extinguisher is suitable for various small closed spaces, including data centers, communication rooms, libraries, museums, archives, power facility control rooms, important material warehouses and other key protection areas. place.

scenes to be used

- **Data Center**: For spaces where a large number of servers and computer equipment are stored, the hanging FM200 fire extinguisher can release fire extinguishing agent at the moment of fire, quickly reducing the temperature of the fire source, effectively preventing the spread of fire, and avoiding data loss and hardware damage. .
 - **Communications Room**: In such an environment that is highly dependent on electronic equipment, the electrical insulation properties of heptafluoropropane can ensure that no additional damage is caused to the circuit during the fire extinguishing process, ensuring the continuity and stability of the communication system.
 - **Cultural Relics Collection Area**: For irreproducible historical relics and artworks, this FM200 fire extinguisher can minimize chemical erosion of the items themselves while ensuring the fire extinguishing effect.
- In short, the suspended FM200 constant temperature fire extinguisher, with its excellent fire extinguishing performance, environmentally friendly attributes and easy-to-use design, has become an ideal fire protection solution for various high-value places, building a solid line of defense for your property safety. Before purchasing, please consult a professional fire engineer to determine the most suitable installation location and configuration plan to ensure foolproof fire safety.

Technical parameter

Constant temperature suspension type	XQQW8-1.6-XL-111
Executive standards	XF13-2006
Filling density	$\leq 1000\text{kg/M}^3$
Fire extinguishing method	Fully flood extinguishing
Storage pressure	1.6MPa(+20°C)
Working temperature range	0~50°C
Max working pressure	2.5MPa(+50°C)
System spray time	Computer room $\leq 8\text{S}$, Others $\leq 10\text{S}$
Fire extinguishing design concentration	8-10%



Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products. Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines. With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China