



70L To 180L Automatic Manual Start FM200 Gas Fire Suppression System Cabinet For Archive Room

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: UL,FM,CMA,CNAS
- Model Number: GQQ100/2.5-XL
- Minimum Order Quantity: 1
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 50000 sets per week



Product Specification

- Storage Bottle Volume: 40L、 70L、 90L、 100L、 120L、 150L、 180L
- Filling Density: $\leq 1120 \text{ Kg/m}^3$
- Storage Pressure: 2.5Mpa +20
- Maximum Working Pressure: 4.2Mpa +50
- Fire Extinguishing Method: Fully Submerged Fire Extinguishing
- Design Temperature: 0°C To +50°C
- Spraying Time: Computer Room 8s others $\leq 10\text{s}$
- Body Material: Steel Cylinder
- Highlight: 70L FM200 gas suppression cabinet, 180L automatic fire suppression system, FM200 cabinet for archive rooms



Product Description

70L To 180L Automatic Manual Start FM200 Gas Fire Suppression System Cabinet For Archive Room

Products Description

FM200 (HFC-227ea) is a colorless, tasteless, non-corrosive, and electrically insulating gas that leaves no residue or pollution after extinguishing. Its ODP is zero, making it an environmentally friendly gas for fire extinguishing. Due to these characteristics, it is suitable for use in special areas where electrical fires are likely to occur. When combined with an extinguishing device and electronic components, the entire system can operate automatically. It can monitor the status of the protected area through detectors and can automatically activate the extinguishing device via a solenoid actuator. Thus, the entire system can achieve full automation, preventing situations where a fire goes unnoticed and saving significant costs associated with employing personnel to supervise the protected area.

Product Parameters

Specifications	Parameters
Cylinder capacity	40Ltr, 70Ltr, 90Ltr, 100Ltr, 120Ltr, 150Ltr, 180Ltr
Device model	GQQ40/2.5, GQQ70/2.5, GQQ90/2.5, GQQ100/2.5, GQQ120/2.5, GQQ150/2.5, GQQ180/2.5
Storage pressure	2.5Mpa
Power	DC24V 1.0A
Working temperature	0 ~50
Max working pressure	4.2Mpa
Standard	GB16670-2006
Proportion of protected zone	≤500m ²
Volume of protected zone	≤1600m ³
Actuation	Automatic or manual start

Product Advantages

According to the agent's description, one of its notable advantages is that it can be used for various classes of fires except metal fires. Moreover, it is a clean agent with no residue or pollution after extinguishing the fire. Another advantage is that the FM200 fire suppression system is designed for critical assets or equipment, causing no damage to your property. Comparatively, as a fire suppression system, it is both inexpensive and effective. It is highly efficient in protecting your property. Being a system, it includes fire suppression devices that can extinguish a fire in a very short time, specifically in less than 10 seconds. This means all extinguishing agents will be released within such a short period and then fill the space completely. Additionally, it has a delay mechanism of around 2 minutes, which means there is ample time for people to evacuate from dangerous areas when a fire occurs. Unlike the piped FM200 automatic fire suppression system, it is simpler to install because there is no need to install piping.

Company profile



Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200),

IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.

Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China