



Easy To Install Industrial/Commercial Hanging FM200 Fire Suppression

Our Product Introduction

for more products please visit us on gas-firesuppression.com

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: ISO9001,CE,QMS,CCCF,CNAS
- Model Number: XQQC30/1.6-XL
- Minimum Order Quantity: 2set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C,T/T,D/A,D/P,Western Union,MoneyGram
- Supply Ability: 35000 sets per week



Product Specification

- Capacity: 20kg,30kg
- Feature: Clean Gas And Environmental Friendly
- Body Material: Steel Cylinder
- Storage Pressure: 1.6MPa
- Max Working Pressure: 2.5MPa
- Starting Mode: Automatic, Electrical Manual, Mechanical Emergency
- Fire Rating: Class A, B, C,E Fires
- Brand Name: Xinlin
- Agent: HFC-227ea(FM200)
- Color: Red
- Highlight: **FM200 hanging fire extinguisher, industrial FM200 fire suppression system, commercial hanging fire suppression**



Product Description



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Product Description

Heptafluoropropane (HFC-227ea/FM-200) is a colorless, odorless, non-conductive, and no secondary pollution gas with clean, low toxicity, good electrical insulation, high fire-extinguishing efficiency, particularly its non-ozone destruction, the residence time in the atmosphere is relatively short, its environmental performance is superior to Halon, is by far the more successful research and development of a clean gas extinguishing agent, can be used safely in the workplace has staff also replace Halon's most 1301,1211 one of the ideal product. Hanging type fire extinguishing device refers to a fire suppression system or fire extinguisher that is designed to be suspended or hung from a ceiling or overhead structure. It is typically installed in locations where a fire hazard is present, such as industrial facilities, commercial buildings, or storage areas.



Technical Parameters

Specifications	Electronic Control Parameters	Temperature control Parameters
Tank size	20Ltr, 30Ltr	4Ltr,6Ltr, 8Ltr, 10Ltr,20Ltr,30Ltr
Storage pressure	1.6mpa	1.6mpa
Maximum working pressure	2.5mpa	2.5mpa
system spray time	computer room≤8s,other 10s	computer room≤8s,other 10s
Fire extinguishing design concentration	8-10	8-10
Environment temperature of protection zone	0 50	0 50

Packing and Shipping:

FM200 Hanging System Packaging and Shipping The FM200 Hanging System is carefully packaged to ensure safe and secure transportation. Each component is individually wrapped and placed in a sturdy cardboard box. The boxes are then placed in a larger shipping box and sealed with tape to prevent any damage during transit. Our packaging process also includes adding protective foam inserts to further protect the components from any impact or jostling during shipping. For larger orders, the components are packed onto pallets and wrapped with plastic for added stability. The pallets are then loaded onto a truck or shipped via freight for delivery. We offer several shipping options to suit our customers' needs, including standard ground shipping and expedited air shipping. We also provide international shipping for our global customers. With our efficient packaging and shipping methods, you can be confident that your FM200 Hanging System will arrive in perfect condition and ready for installation.

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products. Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines. With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.