



Advanced FM200 Storage Pressure Fire Suppression Equipment Protection For Areas Up To 1600 M³

Our Product Introduction

for more products please visit us on gas-firesuppression.com

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: UL,FM,CMA,CNAS
- Model Number: QMQ4.2/120N-XL
- Minimum Order Quantity: 2set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C,T/T,D/A,D/P,Western Union,MoneyGram
- Supply Ability: 35000 sets per week



Product Specification

- System Blowdown Time: Computer Room ≤8s, Other ≤10s
- Specification: FM200 Clean Agent
- Ambient Temperature: 0 ~50
- Cylinder Volume: 90L, 100L, 120L, 150L
- Product Type: Fire Suppression System
- Working Pressure: 4.2MPa / 5.6MPa
- Pattern Of Extinguishing: Enclosed Flooding
- Actuation: Automatic Or Manual
- Highlight: **FM200 fire suppression system,
FM200 pipe network equipment,
FM200 storage pressure protection**



Product Description



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Easy To Install Industrial/Commercial Hanging FM200 Fire Suppression

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China

FM200 fire suppression system breif introduction:

FM200 is a clean extinguishing agent, which would completely vaporized in the air, and wellinsulated. Its total flooding mode is applicable to electric fire, liquid fire or fusible solid fire, solid surface fire, gas fire which gas supply is cut before extinguishing. And it is able to protect computer rooms, communication rooms,substation rooms, hi-tech device rooms, generator rooms, gasoline storerooms, combustible chemical storerooms, libraries, data rooms, archives, treasuries, etc. We manufacture fm200 system that is well structured, reliable, and widely applied to computer rooms, archives, program control exchange engine rooms , TV broadcast center, financial organizations and government departments.

Technical Parameters

Specification

Storage Pressure(20°C)4	4.2MPa
Max.Working Pressure(50°C)	5.3MPa
Cylinder Capacity(L)	90,100,120,150
FM200 Filling Density(kg/m3)	≤950
Production Standard	GB25972-2010
Operation	Valve Driver
Driving Power	DC24V, 1.0A
Storage Temperature	0 ~50
Max. single area protection area	≤800m2
System sprary Time	Computer Room ≤8s, Other ≤10s
System Start-Up Way	Automatic, Electric manual control, Mechanical emergency

The internationally recognized environmental protection

The internationally recognized environmentally friendly fire extinguishing agent has the advantages of high fire extinguishing efficiency, no pollution, non-conductive properties, compact storage space, low pipe network operating pressure, and no secondary pollution after extinguishing fires. The sevofluoropropane system valves produced by the company are designed with large nominal diameters and low local resistance, meeting the requirements for rapid spraying. Fire extinguishing agent storage containers range from 90 to 180 liters and are standardized to meet the needs of different customers. The system is simple to install and easy to maintain.

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products. Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging),portable fire extinguisher,IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines. With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8×6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.