



External Pressure FM200 Fire Extinguishing System 4.2MPa/5.6MPa Pressure

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: UL,FM,CMA,CNAS
- Model Number: QMQ4.2/120W-XL
- Minimum Order Quantity: 2set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C,T/T,D/A,D/P,Western Union,MoneyGram
- Supply Ability: 35000 sets per week




Product Specification

- Specification: FM200 Clean Agent
- Ambient Temperature: 0 ~50
- Cylinder Volume: 90L, 100L, 120L, 150L
- Working Pressure: 4.2MPa / 5.6MPa
- Actuation: Automatic Or Manual
- FM200 Filling Density(Kg/m3): ≤1250
- Executive Standard: Q/GZXL001-2021
- System Start-Up Way: Automatic, Electric Manual Control, Mechanical Emergency
- Highlight: **FM200 fire extinguishing system 4.2MPa, external pressure FM200 system 5.6MPa, FM200 pipe network fire suppression**



More Images



Product Description

External Pressure FM200 Fire Extinguishing System 4.2MPa/5.6MPa Pressure

FM200 fire suppression system breif introduction:

FM200 (Heptafluoropropane, HFC-227ea) automatic fire extinguishing system is a gas fire, automatic control and fire detection is one of the modern intelligent automatic fire extinguishing system. FM200 gas fire extinguishing system can be combined with physical and chemical reaction process rapidly and effectively eliminate heat, prevent the happening of the fire, the physical properties of FM200 performance in its molecule vaporizing stage can rapid cooling flame temperature; And the release of free radicals in the process of chemical reaction, will eventually stop burning a chain reaction.

Technical Parameters

Specifications	Parameters
Cylinder capacity	40Ltr,70Ltr,90Ltr,100Ltr, 120Ltr,150Ltr,180Ltr
Device model	GQQ40/2.5, GQQ70/2.5, GQQ90/2.5, GQQ100/2.5, GQQ120/2.5, GQQ150/2.5, GQQ180/2.5
Filling pressure	2.5Mpa
Max filling rate	0.95kg/L
Discharge time	≤10s
Working temperature	0 ~50
Max working pressure	4.2Mpa
Actuation	Automatic or manual start
System sprary Time	Computer Room ≤8s, Other ≤10s

Product Features

1. Easy Operate: Convenient and easy to operate
2. CCC Authentication: Quality assurance, safety genuine
3. Alarm system: Real-time detection, alert alerts
4. Automatic: Fire extinguishing automatically to reduce losses
5. Not Conductive: Safety agent to protect the machine
6. Environmentally: Green is easy to clean, no residue
7. Innocuity: Safe medicine, no poison harmless
8. Fast Fire Extinguishing: Fire extinguishing quickly reduces damage

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers
- We provide 8x6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.

☎ 189-3396-3312

✉ shirley@gas-firesuppression.com

🌐 gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China