



Low Toxicity 1.6Mpa Hanging Fire Extinguisher For Temperature Range 0 - 50 fire Protection System

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: xinlin
- Certification: ISO9001,CE,QMS,CCCF,CNAS
- Model Number: XQQW20/1.6-XL
- Minimum Order Quantity: 2set system
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10-15 working days after payment or receipt of L/C
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 30000 sets per week



Product Specification

- Tank Size: 4L,6L,8L,10L,20L,30L
- Liquid Type: Heptafluoropropane
- Storage Pressure: 1.6MPa
- Ambient Working Temperature: 0 50
- Feature: Easy Installation, Flexible
- Agenttype: HFC227ea (Heptafluoropropane)
- Origin: Guangzhou, Guangdong, China
- Flexible Structure FM200 2.5Mpa +20
Hanging System Clean
Agent Fire Suppression
System:



Product Description

Low Toxicity 1.6Mpa Hanging Fire Extinguisher For Temperature Range 0 -50 fire Protection System

Product description

The FM200 Hanging System is installed near the ceiling of the protected area, and it holds and releases the FM200 Fire Extinguishing Agent in case of a fire. This extinguishing agent is a colorless, odorless, and electrically non-conductive gas that effectively suppresses fires without damaging equipment or leaving any residue behind. In the event of a fire, the FM200 Fire Alarm System will detect the fire and trigger the release of the FM200 Fire Extinguishing Agent through the FM200 Hanging System. This quick and efficient response helps to minimize damage and protect your property and personnel. Conclusion The FM200 Hanging System is an essential component of any FM200 Fire Extinguishing System. Its lightweight, customizable size, high safety standards, and flexible structure make it a reliable and effective solution for fire protection. Don't compromise on the safety of your property and personnel – choose the FM200 Hanging System for comprehensive fire protection.

Technical parameter

Device model	Filling amount (kg)	Maximum working pressure(MPa)	Storage pressure (MPa)	Fulling Density	Starting mode
XQQW6/1.6	6	2.5	1.6	≤1000 Kg/m3	temperature sensor Activating Temperature: 68
XQQW8/1.6	8	2.5	1.6	≤1000 Kg/m3	
XQQW10/1.6	10	2.5	1.6	≤1000 Kg/m3	
XQQW20/1.6	20	2.5	1.6	≤1000 Kg/m3	
XQQW30/1.6	30	2.5	1.6	≤1000 Kg/m3	

Application and Scenario :

The FM200 Hanging System is a specialized fire suppression system designed and manufactured by Guangzhou Xinlin Fire Equipment Co.,Ltd. It is suitable for various indoor spaces, such as server rooms, data centers, control rooms, archives, and other areas with valuable assets that need to be protected from fire. The FM200 Hanging System is an ideal solution for industries such as telecommunications, finance, government, and transportation.

Company profile

Guangzhou Xinlin Firefighting Equipment Co., Ltd. is located in Guangzhou, a vital city connecting China to the world, characterized by its convenient transportation and picturesque environment. We are a manufacturing company with a professional and seasoned team of employees, consisting of solution design experts, technical installation specialists, quality inspection professionals, and after-sales service teams, dedicated to the research and development of HFC-227ea (FM200), IG541, IG100, and Novec 1230 products.

Currently, we offer a range of commonly used fire suppression systems, including FM200 fire suppression systems, cabinet-style FM200 fire suppression systems, fully automatic fire extinguisher (hanging), portable fire extinguisher, IG541 fire suppression systems, IG100 fire suppression systems, fire detection tube fire suppression systems, as well as automatic fire extinguishing pipelines.

With high quality products, perfect service and good reputation, the company has won wide praise from customers at home and abroad.



Why choose us

- Efficient management system
- More than 10 years of experience in gas fire fighting industry
- Advanced equipment and professional engineers

- We provide 8x6 hr technical support and after-sales service

Frequently Asked Questions

Q1: Are you a manufacturer or a trading company?

A1: We are a professional manufacturer specializing in gas fire suppression systems.

Q2: Do you offer OEM products?

A2: Yes, we welcome your own designs and drawings.

Q3: Where is your factory located?

A3: Our factory is situated in the East Lake Industrial Park of XinTang Town, Zengcheng District, Guangzhou City, Guangdong Province, China.

Q4: How can I get to your factory?

A4: Due to convenient transportation, you can reach us by taxi or by subway. If taking the subway, please take Line 13 to Shacun Station. Before disembarking, kindly inform us in advance, and we will arrange for a comfortable business van to pick you up from there.



Guangzhou Xinlin Fire Fighting Equipment Co., Ltd.



189-3396-3312



shirley@gas-firesuppression.com



gas-firesuppression.com

Factory Building in Pozhong (Local Name), Dongzhou Village, Xintang Town, Zengcheng District, Guangzhou, Guangdong, China